## AMENDMENT TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (original) An electric hand-held power tool with a machine housing (11) that has at least one dust-ejection opening (12) and a dust-collection container (13) connected to dust-ejection opening (12), the dust-collection container (13) having a dust-collection box (15) and a cover (16) that closes the dust-collection box (15), wherein

the dust-collection box (15) is integrally joined with the machine housing (11).

2. (original) The electric hand-held power tool as recited in Claim 1, wherein

the dust-collection box (15) has a cuboid shape with two open sides, the first open side facing machine housing (11) and covering its dust-collection opening (12), and the second open side being closed with the cover (16).

3. (currently amended) The electric hand-held power tool as recited in Claim 2, wherein

the cuboid shape is a rectangular prism comprising longitudinal sides having larger cross-sections and end faces having smaller cross-sections and wherein

the two open sides are the end faces of dust-collection box (15) with the smaller cross sections.

- 4. (currently amended) The electric hand-held power tool as recited in Claim 2, wherein
- the two open sides are the longitudinal sides of dust-collection box (15) with the larger cross sections.
- 5. (original) The electric hand-held power tool as recited in Claim 4, wherein the two open longitudinal sides of dust-collection box (15) are diametrically opposed.
- 6. (original) The electric hand-held power tool as recited in Claim 4, wherein the two open longitudinal sides of dust-collection box (15) abut each other along a lateral longitudinal edge.
- 7. (currently amended) The electric hand-held power tool as recited in Claim 2, wherein

the cuboid shape is a rectangular prism comprising longitudinal sides having larger cross-sections and end faces having smaller cross-sections and wherein

the first open side is one of the longitudinal sides of dust-collection box (15) with the larger cross section, and the second open side is the upper or lower – as viewed in the working position of the machine – end face of collection box (15) with the smaller cross section.

8. (currently amended) The electric hand-held power tool as recited in Claim 1, wherein

the dust-collection box (15) has a cylindrical shape with <u>a cylinder wall and</u> two open end faces, the first of which faces machine housing (11) and covers the dust-collection opening (12), and the second open end face being closed with the cover (16).

the dust filter.

- 9. (previously presented) The electric hand-held power tool as recited in Claim 1, wherein
- the dust-collection container (13) has at least one dust filter (18) and at least one exhaust opening (17).
- 10. (original) The electric hand-held power tool as recited in Claim 9,whereinthe dust filter (18) is located in the dust-collection box (15) or the latter is located inside
- 11. (currently amended) The electric hand-held power tool as recited in Claim 8, wherein, a plurality of exhaust openings (17) is located in the <u>cylinder</u> wall of dust-collection box (15), in particular in its cylinder wall.
- 12. (previously presented) The electric hand-held power tool as recited in Claim 9, wherein the at least one exhaust opening (17) is configured in the cover (16) or in the collection box (15).
- 13. (previously presented) The electric hand-held power tool as recited in Claim 9, wherein the dust filter (18) is attached as a separate component, either in the cover (16) or on the collection box (15).
- 14. (previously presented) The electric hand-held power tool as recited in Claim 9, wherein the dust filter (18) is a non-detachable component of the cover (16).

- 15. (previously presented) The electric hand-held power tool as recited in Claim 9, wherein
- the dust filter (18) is configured as a pleated filter.
- 16. (original) The electric hand-held power tool as recited in Claim 15, wherein the pleated filter is configured in the shape of a tube.
- 17. (currently amended) An electric hand-held power tool with a machine housing (11) that has at least one dust-ejection opening (12) and a dust-collection container (13) connected to dust-ejection opening (12), the dust-collection container (13) having a dust-collection box (15) and a cover (16) that closes the dust-collection box (15), wherein

the dust-collection box (15) is integrally joined with the machine housing (11) and The electric hand-held power tool as recited in Claim 1, wherein a handle (20) is integrally formed on machine housing (11), and the handle (20) is configured as a dust-collection container (13).